
VINYL COATED CABLE






	VINYL COATED GALVANIZED CABLE				
DIAMETER	Coated to	Approx. Weight per 1000 Foot in Pounds	Min. Breaking Strength in Pounds*	Construction	
1/16" **	3/32	9.3	480	7x7	
1/16" *	1/8	11.8	480	7x7	
3/32" *	1/8	18.5	920	7x7	
3/32" *	3/16	25.8	920	7x7	
1/8" *	3/16	35.2	1,700	7x7	
3/32" *	1/8	19.9	1,000	7x19	
1/8" *	3/16	35.2	2,000	7x19	
3/16" *	1/4	77.5	4,200	7x19	
1/4" *	5/16	123.0	7,000	7x19	
5/16" *	3/8	197.0	9,800	7x19	
3/8" *	7/16	270.0	14,400	7x19	

GALVANIZED VINYL COATED CABLE





7x7 Galvanized Vinyl


7x19 Galvanized Vinyl

SIZE ROPE	7X7 SS 304 LIFE-LINE				
DIAMETER	Construction	Approx. Weight per 1000 Foot in Pounds	Breaking Strength in Pounds*		
1/16"	1/8″	13.0	480		
3/32"	1/8″	20.0	920		
1/8″	3/16"	39.0	1,700		
1/8"	7/32"	39.0	1,700		
1/8″	1/4"	51.0	1,700		
3/16"	1/4"	80.0	3,700		
3/16"	5/16"	91.0	3,700		
3/16"	3/8″	112.0	3,700		
1/4"	3/8"	142.0	6,100		

SIZE ROPE	VINYL COATED STAINLESS CABLE TYPE 304				
DIAMETER	Coated to	Approx. Weight per 1000 Foot in Pounds	Breaking Strength in Pounds	Construction	
1/8″ *	3/16	36.2	1,760	7x19	
3/16" *	1/4	77.5	3,700	7x19	
1/4" *	5/16	123.0	6,400	7x19	
5/16" *	3/8	197.0	9,000	7x19	
3/8" *	7/16	270.0	12,000	7x19	


^{*} Listed for comparison only. Actual operating loads may vary, but should never exceed recommended design factor or 1/7 of catalog breaking strength. ** Listed for comparison only. Actual Factors vary between 6:1 and 3:1 depending on application.

WHITE JACKETED **LIFE-LINE CABLE**



7x7 SS 304 Life-

VINYL COATED STAINLESS STEEL CABLE



Vinyl Coated Stainless